



always with U

Amendment_1 Date: 07-12-2020
ODISHA GRAMYA BANK
General Administration Department
Head Office, Gandamunda, P.O.-Khandagiri, Bhubaneswar-751030

AMENDMENT 1: Request for quotation (RFQ) for empanelment of supply of electronic weighing machine

Below is the result of Point of Discussion mail by various suppliers and Amendments to the **Ref. No. RF/GAD/ELECTRONIC WEIGHING MACHINE/01/2020-21, DTD.24.11.2020.**

Sl	Page No	Clause	Suggestion/Remarks/ Queries	Bank's Remark/ Amendment		
1	2	Schedule		Due to amendment the schedule is to be changed.	Last date of submission of technical & commercial bids is on 15.12.20. Commercial Bids would be opened in the presence of any or all of the firms representatives.	
		1	Bid Document Availability			Bidding document can be downloaded from website from 25/11/2020 to 08/12/2020.
		2	Last date of submission of technical bids			1200 hrs. on 08/12/2020
		3	Last date of submission of commercial bids			1200 hrs. on 14/12/2020
		4	Opening of Technical Bids			1500 hrs on 08/12/2020 Authorized representatives of firms may be present during opening of the Technical Bids. However Technical Bids would be opened even in the absence of any or all of the firms representatives.
5	Opening of commercial Bids	1500 hrs on 14/12/2020 Authorised representatives of firms may be present during opening of the commercial Bids. However commercial Bids would be opened in the presence of any or all of the firms representatives.				
2	3	Features of gold electronic weighing machine: Platter size in mm-126mm dia	Different manufactures use their goods received plates and platters as per their model approvals and manufacturing process. In the present case of high resolution scales, the platters diameter varies from 100 mm to 120mm. but in case of weighing an additional container is always required/ preferred because the ornaments require a container to be placed on the platter and the weighment process to be completed. Therefore pan size is not very important as far as ornament weighing is concerned and moreover a bigger pan always costs more than the smaller ones.	Platter size in mm- (100-120mm dia) or more		
3	3	Features of gold electronic weighing machine: Physical dimension- 190(W) x 282 (D) x 90(H) mm	The physical dimensions of any weighing instruments differ from manufacturer to manufacturer and will always vary. So the present specification of 190mmx 282 mm x 90mm will restrict other manufactures to compete the RFQ since their body sizes will differ.	Not mandatory		

Sl No	Page No	Clause	Suggestion/Remarks/ Queries	Bank's Remark / Amendment																																						
4	3	Features of gold electronic weighing machine: -salient features – Can be connected to maintenance –free battery	Rechargeable battery should be preferably built-in and not with any external battery device.	Rechargeable battery should be preferably built-in and not with any external battery device.																																						
5		Newly to be added.	<p>Features of gold electronic weighing machine: (LCD)</p> <table border="1"> <thead> <tr> <th colspan="2">Technical specification</th> </tr> </thead> <tbody> <tr> <td>Capacity</td> <td>600gm.</td> </tr> <tr> <td>High accuracy</td> <td>10mg.</td> </tr> <tr> <td>Platter size in mm</td> <td>100mm-120mm dia or more</td> </tr> <tr> <td>Platter material</td> <td>Stainless steel (SS)</td> </tr> <tr> <td>Display</td> <td>Liquid crystal display (LCD) dual (Front view& back side view)</td> </tr> <tr> <td>Display digit</td> <td>6 digits</td> </tr> <tr> <td>Display size `</td> <td>13mm</td> </tr> <tr> <td>Power consumption</td> <td>13W</td> </tr> <tr> <td>Physical dimension</td> <td>Not mandatory</td> </tr> <tr> <td>Power supply</td> <td>230 V AC, 50HZ (Adaptor)</td> </tr> <tr> <td>Rechargeable battery</td> <td>6V/4Ah & charger with windshield enclosure.</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Commercial Terms</th> </tr> </thead> <tbody> <tr> <td>Price:</td> <td>The rate contract will be valid initially for a period of two years from the date of intimation of letter, subject to satisfactory performance on review.</td> </tr> <tr> <td>Taxes</td> <td>The above price is excluding of all taxes and duties.</td> </tr> <tr> <td>Payment Terms</td> <td>100% payment against delivery & installation</td> </tr> <tr> <td>Freight charges</td> <td>Freight charges in inclusive of above price.</td> </tr> <tr> <td>Delivery period</td> <td>One week from date of confirmed order.</td> </tr> <tr> <td>Warranty</td> <td>12 months from date of invoice and against manufacturing defect.</td> </tr> </tbody> </table> <p>Salient features:</p> <ul style="list-style-type: none"> ◆ low battery indicator ◆ auto power –off function ◆ the rechargeable battery should be built-in and not with any external battery device –free battery ◆ digital tare function ◆ stable weight indicator ◆ power fail retain function ◆ in-built dual display ◆ unit conversation <p>Stamping & verification :</p> <p>Initial stamping from Legal Metrology Deptt, Govt. of Odisha (license in weights & measure Deptt) is free of cost from one year from date of Verification Certificate.</p>	Technical specification		Capacity	600gm.	High accuracy	10mg.	Platter size in mm	100mm-120mm dia or more	Platter material	Stainless steel (SS)	Display	Liquid crystal display (LCD) dual (Front view& back side view)	Display digit	6 digits	Display size `	13mm	Power consumption	13W	Physical dimension	Not mandatory	Power supply	230 V AC, 50HZ (Adaptor)	Rechargeable battery	6V/4Ah & charger with windshield enclosure.	Commercial Terms		Price:	The rate contract will be valid initially for a period of two years from the date of intimation of letter, subject to satisfactory performance on review.	Taxes	The above price is excluding of all taxes and duties.	Payment Terms	100% payment against delivery & installation	Freight charges	Freight charges in inclusive of above price.	Delivery period	One week from date of confirmed order.	Warranty	12 months from date of invoice and against manufacturing defect.	LCD Machines will be included quoting separate in commercial BID.
Technical specification																																										
Capacity	600gm.																																									
High accuracy	10mg.																																									
Platter size in mm	100mm-120mm dia or more																																									
Platter material	Stainless steel (SS)																																									
Display	Liquid crystal display (LCD) dual (Front view& back side view)																																									
Display digit	6 digits																																									
Display size `	13mm																																									
Power consumption	13W																																									
Physical dimension	Not mandatory																																									
Power supply	230 V AC, 50HZ (Adaptor)																																									
Rechargeable battery	6V/4Ah & charger with windshield enclosure.																																									
Commercial Terms																																										
Price:	The rate contract will be valid initially for a period of two years from the date of intimation of letter, subject to satisfactory performance on review.																																									
Taxes	The above price is excluding of all taxes and duties.																																									
Payment Terms	100% payment against delivery & installation																																									
Freight charges	Freight charges in inclusive of above price.																																									
Delivery period	One week from date of confirmed order.																																									
Warranty	12 months from date of invoice and against manufacturing defect.																																									

SI No	Page No	Clause	Suggestion/Remarks/ Queries	Bank's Remark / Amendment																																								
5		Newly to be added.	<p>Features of gold electronic weighing machine: (LED)</p> <table border="1"> <thead> <tr> <th colspan="2">Technical specification</th> </tr> </thead> <tbody> <tr> <td>Capacity</td> <td>600gm.</td> </tr> <tr> <td>High accuracy</td> <td>10mg.</td> </tr> <tr> <td>Platter size in mm</td> <td>100mm-120mm dia or more</td> </tr> <tr> <td>Platter material</td> <td>Stainless steel (SS)</td> </tr> <tr> <td>Display</td> <td>Light –Emitting diode (LED) dual (Front view& back side view)</td> </tr> <tr> <td>Display digit</td> <td>6 digits</td> </tr> <tr> <td>Display size `</td> <td>13mm</td> </tr> <tr> <td>Power consumption</td> <td>13W</td> </tr> <tr> <td>Physical dimension</td> <td>Not mandatory</td> </tr> <tr> <td>Power supply</td> <td>230 V AC, 50HZ (Adaptor)</td> </tr> <tr> <td>Rechargeable battery</td> <td>6V/4Ah & charger with windshield enclosure.</td> </tr> <tr> <th colspan="2">Commercial Terms</th> </tr> <tr> <td>Price:</td> <td>The rate contract will be valid initially for a period of two years from the date of intimation of letter, subject to satisfactory performance on review.</td> </tr> <tr> <td>Taxes</td> <td>The above price is excluding of all taxes and duties.</td> </tr> <tr> <td>Payment Terms</td> <td>100% payment against delivery & installation</td> </tr> <tr> <td>Freight charges</td> <td>Freight charges in inclusive of above price.</td> </tr> <tr> <td>Delivery period</td> <td>One week from date of confirmed order.</td> </tr> <tr> <td>Warranty</td> <td>12 months from date of invoice and against manufacturing defect.</td> </tr> <tr> <td> Salient features: <ul style="list-style-type: none"> ◆ low battery indicator ◆ auto power –off function ◆ the rechargeable battery should be built-in and not with any external battery device –free battery ◆ digital tare function ◆ stable weight indicator ◆ power fail retain function ◆ in-built dual display ◆ unit conversation </td> <td> Stamping & verification : Initial stamping from Legal Metrology Deptt, Govt. of Odisha (license in weights & measure Deptt) is free of cost from one year from date of Verification Certificate. </td> </tr> </tbody> </table>	Technical specification		Capacity	600gm.	High accuracy	10mg.	Platter size in mm	100mm-120mm dia or more	Platter material	Stainless steel (SS)	Display	Light –Emitting diode (LED) dual (Front view& back side view)	Display digit	6 digits	Display size `	13mm	Power consumption	13W	Physical dimension	Not mandatory	Power supply	230 V AC, 50HZ (Adaptor)	Rechargeable battery	6V/4Ah & charger with windshield enclosure.	Commercial Terms		Price:	The rate contract will be valid initially for a period of two years from the date of intimation of letter, subject to satisfactory performance on review.	Taxes	The above price is excluding of all taxes and duties.	Payment Terms	100% payment against delivery & installation	Freight charges	Freight charges in inclusive of above price.	Delivery period	One week from date of confirmed order.	Warranty	12 months from date of invoice and against manufacturing defect.	Salient features: <ul style="list-style-type: none"> ◆ low battery indicator ◆ auto power –off function ◆ the rechargeable battery should be built-in and not with any external battery device –free battery ◆ digital tare function ◆ stable weight indicator ◆ power fail retain function ◆ in-built dual display ◆ unit conversation 	Stamping & verification : Initial stamping from Legal Metrology Deptt, Govt. of Odisha (license in weights & measure Deptt) is free of cost from one year from date of Verification Certificate.	LED Machines will be included quoting separate in commercial BID.
Technical specification																																												
Capacity	600gm.																																											
High accuracy	10mg.																																											
Platter size in mm	100mm-120mm dia or more																																											
Platter material	Stainless steel (SS)																																											
Display	Light –Emitting diode (LED) dual (Front view& back side view)																																											
Display digit	6 digits																																											
Display size `	13mm																																											
Power consumption	13W																																											
Physical dimension	Not mandatory																																											
Power supply	230 V AC, 50HZ (Adaptor)																																											
Rechargeable battery	6V/4Ah & charger with windshield enclosure.																																											
Commercial Terms																																												
Price:	The rate contract will be valid initially for a period of two years from the date of intimation of letter, subject to satisfactory performance on review.																																											
Taxes	The above price is excluding of all taxes and duties.																																											
Payment Terms	100% payment against delivery & installation																																											
Freight charges	Freight charges in inclusive of above price.																																											
Delivery period	One week from date of confirmed order.																																											
Warranty	12 months from date of invoice and against manufacturing defect.																																											
Salient features: <ul style="list-style-type: none"> ◆ low battery indicator ◆ auto power –off function ◆ the rechargeable battery should be built-in and not with any external battery device –free battery ◆ digital tare function ◆ stable weight indicator ◆ power fail retain function ◆ in-built dual display ◆ unit conversation 	Stamping & verification : Initial stamping from Legal Metrology Deptt, Govt. of Odisha (license in weights & measure Deptt) is free of cost from one year from date of Verification Certificate.																																											
6		Newly to be added.	<p>under eligibility criteria the supplier must have:</p> <ol style="list-style-type: none"> a. Manufacturing & Dealership License issued by Controller of legal metrology Govt. of Odisha to sale any weighing equipment. b. Repairing License issued by Controller of Legal Metrology Govt. of Odisha to repair weighing equipment through the state. 	Mentioned licenses to be submitted during the technical BID.																																								

Note: - The above schedule is subject to change. Notice of any changes will be published on Bank's website (www.odishabank.in) wherever feasible. Further, please note that commercial bid opening date, time will be intimated to the technically qualified bidders at a later date.